# Program & Abstract Submissions

UNDERGRADUATE RESEARCH AND CREATIVE ACTIVITY FORUM (URCAF)



Annika Thomas	OPENSOURCE MICROSCOPE FOR CARBON FIBER ANALYSI IN COMPOSITE PRINTING	S <sub>12</sub>
Dang Tran	From Natural Language Instruction To Dom <b>and</b> ependent Robotic Planning	13

Natural Sciences & Engineering Oral Presentation			
Presentation Title	Abstract Page		
Capturing CO2 in Atmosphere via Multinfunctional Nanofibers and Converting it into Biofuel	13		
	Presentation Title  Capturing CO2 in Atmosphere via Multinfunctional Nanofibers and		

Gissele Mosqueda	IDENTIFYING MOTIVATIONAL FACTORS AFFECTING ASSIST-AS-NEEDED REHABILITATION	20
Michael Nguyen*	Should you follow manufacturer's recommendatio A?look into exoskeleton's effectiveness due to fitment.	20
Mmasi Obi	Converting Microplastics to Useful Fibers	21
Trevor Owen	Effects of Shoulder Angle Activation On Exoskeleton Suit Performance	21
Esmeralda Sanchezorres	CHARACTERIZING THE TOPOLOGYPROPERTY RELATIONSHIP OF OPENCELLED POROUS STRUCTURES	22
Joseph Sekavec	Complex Analysis and Fluid Flow	22

Social Sciences & Humanities Oral Presentatio			
Presenter's Name	Presentation Title	Abstract Page	
Brenden Wood	Face Reveals, Do They Change Anything?	22	

Taj Allen
Faculty Mentor(s)James G. Bann
Fairmount College of Liberal Arts & Sciences
Natural Sciences & Engineering Poster Presentation

Investigating the role of domain 4 of the anthrax protective antigen on stability and immunogenicity

The anthrax toxin protective antigen (PA) is the major immunogenic component of the anthrax vaccine, and consists of four domains with the fourth being of particular importance. Anthrax toxin neutralizing antibodies have been shown to be primarily directed at domain 4, which is the domain responsible for binding to host cell receptors (CMG2 and TEM8) and thus preventing further toxicity. The methods that have already been perforr consist of Circular dichroism (CD) spectroscopy and Gel filtration chromatography which has shown that the mutant protective antigen without domain four has no specificity towards CMG2, and is more stable than wild-type PA. Additional future testing includes seeinthe mutant will still form a heptamer which would show if domain four is required for its formation. The hypothesis of this study is that the reduced immune response to when CMG2 is bound is because CMG2 is blocking a key epitope or epitopes within domain four. As such, removal of domain four should elicit a significantly weaker immune response when compared to that the majority of the immune response to PA is because of domain four.

Derek Baldwin
Faculty Mentor(s)Moriah Beck
Fairmount College of Liberal Arts & Sciences
Natural Sciences & Engineering Poster Presentation

# REVEALING PALLADIN' S ROLE IN METASTASIS BY DIRECTLY OBSERVING ITS INFLUENCE ON ACTIN POLYMERIZATION

Metastatic cancer cells sometimes break off from the three int of origin and use motile structures composed of polymerized actin to travel elsewhere in the body. An axitinding protein named palladin is often overexpressed in metastatic cancer cells. Previous research has shown us that a minimal actinregiding palladin (Ig3) causes an increase in absimolymerization rate. Now we aim to compare the effects on actin polymerization and organization by the Ig3 domain to that of flethgth palladin. The Beck Lab hypothesizes that palladin plays a major part in promoting the motility of cancer cells throughout the body by increasing polymerization and coordinating the structure of actin filaments. The focus of our research is to use Total Internal Reflection Fluorescence (TIRF) microscopy to directly **ebs** actin filaments in the process of polymerization. Observation of these filaments should allow us to capture instances of filament organization and crosslinking, which would help us to understand how palladin influences actin filament organization and what structures it regularly organizes filaments into. In comparing the effects of full length palladin to those seen previously with Ig3, we have found significant changes in the rate of polymerization, instances of crosslinking and filament organization We aim to move forward using image quantification programs to quantify crosslinking between filaments, which would allow us to better define pallacknability to promote highly branched actin structures. Defining this capability would help us to understapalladin's responsibility in constructing invasive cellular structures that may ultimately provide insight into the role it has promoting the metastasis of cancerous cells.

StephanieBristow
Faculty Mentor(s):Thomas Luhring
Fairmount College of Libral Arts & Sciences
Natural Sciences & Engineering Poster Presentation

Thermal Performance Analysis of Bacteria and Bacterivore Interactions

Microbiomes have a significant role in global carbon emissions and can potentially shift in response to climate change. Bacterivores play a strong role in regulating soil biomes and therefore could alter the structure of thes microbial communities if they were impacted by a slight change in temperature. We hope to estimate how bacterivores and their prey could shifttheir relationships in the presence of one another across a thermal gradient. We cultured the bacterivore protist Paramecium aurelia on 3 bacterial treatments (E. Coli, S. enteritic and their combination). We then subjected each combined P. aurelia and bacterial treatments (TtCagtadient of temperatures for 18geatu (y)2ftas (r)5 0 Tc 0fte5.59 0 Td ()T-37.45 (t)-2 (ep0 ()o4 (l)-2 (l)-3 (uc)4 (t)-3 (uc)4 (

Zachary Fischer\*
Faculty Mentor(s): Dr James Steck
College of Engineering
Natural Sciences & Engineering Poster Presentation

Utilizing Matlab 's Neural Network and Tall Array Capabilities to Analyze and Predict the Lifetime of Commercial Aircraft

The owner of any given vehicle will choose to repair said vehicle the tibosts of repairing it start to overtake the cost of purchasing a new vehicle. This concept of diminishing returns is especially true with commercial aircraft Not only do aircraft companies need to understand when the continual fatigue on an aircraft is enough to warrance part or aircraft, but they also need to understand how long each part will last (o ne)4 ta esc (ae)4 (ssc (ae)

With the rising aging population, there is a predominant need of ayteighing and prolonged ambulatory ECG monitoring system due to substantial growth of number of people suffering from chronic diseases which has a significant influence on the US mortality rate. Usage of an ambulatory ECG device would enable the often detection of abnormal and irregular heartbeats which are not often attainable by the Electrocardiogram (ECG) doctor's office. This study is focused on developing a compact ambulatory ECG device which would be more comfortable and useriendly with the high quality of ECG signals in comparison to traditional ECG devices. In order to achieve the primary objective of this study, the leading step wissower the optimal position for the placement of ECG electrodes on the chest using simultaneous comparisons of ECG signals obtained from traditional ECG lead I and II. The second step of this study was to design and abiticate a miniaturized and flexible, Bluetooth-based circuit and skilike electrodes for detection and wireless transmission of ECG signals. As the third step, the fabricated monitoring device and electrodes were assembled on a thin elastomeric meml to offer a smooth lamination to the skin for user comfort and temp-ECG monitoring. Finally, human subject tests were performed using the developed ECG device to demonstrate real time ambulatory ECG monitoring.

## Cameron McGinley

Faculty Mentor(s): Sergio Salinas Monro (15.74.6 (15.61.6 (r)]TJg6 (r)]TJ (f)e)-10(C) Tc 0 Tw 4.19650.23 [(McG)8n!

medical costs associated with falls for older adults wasnetatid as \$56 billion dollars by 2020. In order to minimize adverse consequences of falls and provide adequate medical response and carfeçatives teliable and immediate fall detection system is essential. Therefore, this research focuses on the development of a ski wearable hybrid electronic system for fall risk monitoring, which offers signal fidelity for accurate fall detection and user comfort for longerm use. We have designed and fabricated the weak anable device including as is motion sensor to collect motion data for different human activities (e.g., walking, running, and falls). A number deeplearning algorithms were tested using collected data to identify an optimized fall detection algorithm. The collective results will significantly improve the life quality and independence of older adults as minimizing adverse consequences of falls and falls ted injuries.

Rupert Nunez
Faculty Mentor(s): Dr. Laila Cure
College of Engineering
Natural Sciences & Engineering Poster Presentation

Spatio-Temporal Access to Healthy Food in Sedgwick County

Healthy food access and the local food environment have become an important issue for city and state governments. Since the 1990s, studies have been conducted across the world documenting the food environr at local, state and country wide scales. Most studies only analyze spatial accessibility, no studies have been for investigating the timelependent availability of these sources.

The objective of this study was to create a detailed analysnealthy food availability in Sedgwick county in terms of geographical location and time availability. We recorded the GPS coordinates and hours of stores and markets with produce available in Sedgwick county from Google Maps data. We extracted tipoforarbout the population information using Census tract data from the Census Bureau. We then calculated distances from locations to the centroids of every census tract and estimated the following tempational accessibility measures:

- The number of stess within 2 miles for different time slots in a day per census tract.
- The timeweighted weekly accessibility index indicating the proportion of time during a week that a census tract has access to food.

Tableau was used to create custom maps displayindata.

The purpose of this multidisciplinary project is to develop a therapeutic settate app for people with aphasia, a language disorder in people recovering from a stroke or brain injury. In a preliminary testatty ent people with aphasia learned the sentetate ing task and reported improved quality of life. However, the existing therapy task relied on the Windows software program DMDX and required a speech therapy clinician provide feedback and cueing. Togetherapy task at home. The app teaches the user to construct complete grammat sentences by presenting a series of word pairs and provinding diate feedback on which word can come next. The app provides assistance when needed and allows the user to select the difficulty level of the sentences. In addition to guiding the user through the sentence of creating the app is that it will provide a new therapy too to help people with aphasia improve sentence production.

John Randall
Faculty Mentor(s): Brandon Buerge
College of Engineering
Natural Sciences & Engineering Poster Presentation

### AERODYNAMIC PERFORMANCE OF NOTIONAL INFLATABLE AIRFOILS

In support of an ongoing project focused on investigating the fundamental nature of deployable wing technology for inflatable dropstitc

Dang Tran

Faculty Mentor(s): Hongsheng He

College of Engineering

Natural Sciences & Engineering Poster Presentation

From Natural Language Instruction To Domain-Independent Robotic Planning

Domain-independent planning is the fundamental component in Artificial Intelligence System and Cognitive Robot, which is used to make deliberative decisions in complex scenarios. Different from-deciding planners that are designed to solve hypothesized domains, diordecimendent planners are applicable on an arbitrary widerange of challenges: logistic system planning, temporal model checking, rescue robot alanning cognitive robotic decision making. Despite the significant efforts in developing generalies planning.

Sheilja Bhatt

Co-Author(s): Nikhil Pranjpe

Faculty Mentor(s): Ramazan Asmatulu

College of Engineering

Natural Sciences and Engineering Oral Presentation

Transparent Solar Cell

With deposits of conventional sources of energy such as natural gas, coal, etc. depleting around the world, an increasing need of energy, scientists have begrain guto other sources. One of these sources is solar energy. The

Jordan Cao

Faculty Mentor(s): Dr. William Hendry

Fairmount College of Liberal Arts & Sciences

Natural Sciences and Engineering Oral Presentation

# CONTINUED DEVELOPMENT/TESTING OF IMPROVED METHODS AND NEW ANTIBODIES FOR IMMUNOHISTOCHEMISTRY

Immunohistochemistry has grown to become a powerful analytical technique to detect and localize the presen specific cellular proteins at the molecular levenas extensive uses within medicine to allow for greater efficacy when diagnosing patients, understanding diseases, and expanding possible treatment options. This study aim apply the functionality of immunohistochemistry to better study the grawthmorphology of two different squamous cell carcinoma cell lines sources from head and neck cancer cell lines, CAL27 and FaDu, on two different commercially provided multiwell slides. Additionally, this study aimed to observe how different commercially provided primary antibodies would detect specific proteins (ERa, p53, Pallacoth) inkiboth CAL27 and FaDu cells.

Both CAL27 and FaDu cell lines were grown in mother plates that were then fixed onto multiwell slide was and Lab Tekll CC² prior to immunohistochemistry. An established immunohistochemistry protocol was established and evaluate grading its specificity for each antibody tested according to the avidin:biotin:enzyme complex based detection system. The results revealed dramatic differences in: 1) Morphology of the CAL27 a FaDu cells based on which type of multiwell slide they were fixed upon Tekbes, Lab Tekll CC²); and 2) Signal intensity between the two cell lines for the attailed in antibody.

Jonathan Coleman
Faculty Mentor(s): Suresh Keshavanarayana
College of Engineering
Natural Sciences and Engineering Oral Presentation

Creep of Ribbons in Honeycomb

Honeycomb cores are a legiensity marmade cellular material often used in the aerospace industry to make lightweight, stiffsandwich structures. Although core is manufactured in the form of flat sheets, the numerous walls composing its repeating pattern of hexagonal cells possess creep properties which allow it to be perman shaped under heat into a desired tratiencensional geometry. The objective of this research is to experimentally determine the creep properties of cell walls, which influence the bending capacity of the corda@imglell walls prebaked at 450 fbr ten minutes were allowed to cool before beingeration a temperature ranging from 100°Fto 425°F. After reaching this temperature, they were forcibly conformed to known radii between 0.125in and 0.75in and held in this state for five minutes. They were then removed from the oven and allowed to relax. The radius of curvature retained by each specimen was measured using a digital microscope. The results of the experiments point to a linear relationship between the amount of creep deformation experienced by the cell was and the temperature at which forms takes place. This data will be critical to the development and calibration of numerical models used to simulate the formation of large core blocks.

JamesDavies

Co-Author(s): AaromFater, RacheKlausmeyer, Moriah Beck

Faculty Mentor(s): Dr. Moria Beck

Fairmount College of Liberal Arts & Sciences

activity in the upper arms, shoulders, and back was measured using electromyography. Muscle signals were normalized by comparing them to the maximum voluntary isometric contractions. Exoskeleton effectiveness permuscle and per task was quantified by comparing this normalized signal to the condition. Participants rated subjective effectiveness on polintescale and commented on the perceived usefulness and comfort of each suit. These metrics were used to search for a significant difference between the central spin'e and open back'designs.

Andrea Martinez
Faculty Mentor(s)Michael JorgenserNils Hakansson
College of Engineering
Natural Sciences and Engineering Oral Presentation

The Impact of Manufacturing Work Experience on Shoulder Muscle Activation Utilizing Shoulder Passive Exoskeletons

Work-related musculoskeletal disorders (WMSDof the upper limbs remain a challenge in the workplace where workers perform repetitive and forceful motions. A relatively new device that manufacturing industries are drifting attention towards are wearable passive exoskeletons in hopes of reducing shoulder injuries. Although some studies have investigated the effects of passive exoskeletons on experienced workers, the majority of the research exoskeletons impact on

conversion efficiency (0.5% vs 3.69%) but, when mixed in a 1:15 Titanium Oxide to Tin Oxide ratio a comparable power conversion efficiency of 2.7% is achieved. Additionally, the synthesized Tin Oxide, mixed in a 1:15 ratio with Titanium Oxide achieved a 2.09% efficiency elltimately, with further refinement of morphology, it is concluded that Tin Oxide is comparable to Titanium Oxide as an electron transport layer in perovskite solar cells.

GisseleMosqueda Co-Author(s): AnnaTri

Faculty Mentor(s): Yimesker YihurDr. Lisa Vangsness

College of Engineering

Natural Sciences and Engineering Oral Presentation

### IDENTIFYING MOTIVATIONAL FACTORS AFFECTING ASSIST -AS-NEEDED REHABILITATION

Chronic diseases that lead to immobility frequently require rehabilitative therapy to restore mobility. However, cost and lack of rehabilitative specialists make it difficult for patients to receive adequate care. One way to ado these challenges is throughhatme therapy that uses robusted assistanceded (AAN) devices, which we wearable devices that enhance physical performance. This approach relies are assisted (AAN) algorithms that determine when patients need physical aid to complete therapeutic exercises. The purpose of this study was understand human engagement with robusted AAN devices. A sample of 10 healthy young adults underwent an experimental session that consisted of three tasks of daily living that targeted previolity. Participants completed the New General Selfficacy Scale before each task ter each set of 5 repetitions, the difficulty of each task was manipulated, and participants made a Judgment of Difficulty (JOD). We found evidence that participants' JODs were informed by the objective difficulty of each task, the feedback they drect the participants and the physical effort they exerted. These three factors did not influence participants

Juan and I have been student teaching this semester. We're currently **theableads** of our classrooms. So, we work with students, inperson and online, every day. However, neither of us have really shown our faces consistently to the online students. Some of them don't even know what we look like.

Our students just finished their 3rd quarter of the school year with our inconsistered leading. And we have records of their participation from that whole quarter. During the next quarter, we were thinking we could more consistently show our faces to the online students and record if that gets more participation or feedback from them.

Т

Brianna Kirkhart
Faculty Mentor(s):Julie Martin
College of Health Professions
S S\$239177(i):H90(f)4s1fj4

Ava Munzinger-DeFrain Co-Author(s): Breannaohnston Faculty Mentor(s): Dr. Jennifer Demers Fairmount College of Liberal Arts & Sciences